

Oil Free LLC
4077 Harwood – F
Deerfield Beach, Florida 33442 U.S.A.
954.420.2999 voice
oilfree@live.com • www.oilfreellc.com

Oil Free Video 1 Transcript Jan 2014

(Start of video)

Narration: This presentation shows a demonstration of the Wallace HOD system. (logo above text)

<New still image>

Narration: This presentation is a production of Oil Free LLC. Our address is 4077 Harwood – F, Deerfield Beach, Florida, zip code 33442, USA. Our telephone number is area code 954-420-2999. Our email address is oilfree@live.com, and our website is www.oilfreellc.com.

<New still image>

Narration: The following is an affidavit:

<New still image>

Narration: I, Leonard D. Wallace, hereby attest that this video is an accurate and genuine portrayal of the Wallace HOD System, and specifically, that only a single power source was used. I swear, under pain of penalty for perjury, that this is a true and correct document.

Signed: Leonard D. Wallace
Chairman and Sole Stockholder

Date: January 20, 2014

<New still image>

Company logo only then fade

<New still image>

Narration: This video shows a demonstration of the Oil Free hydrolyzer test unit. Thanks to many technical breakthroughs, we have a patented system that includes a hydrolyzer that we refer to as the Wallace HOD System. The acronym HOD, refers to “hydrogen on demand” because hydrogen is only produced according to the rate that is required by an application to any internal combustion engine, whether it would have been previously powered by gasoline or diesel.

We are able to produce hydrogen from water by means of electrolysis, which means we are subjecting water to electrical and other stimuli so that it breaks down into its two components of hydrogen and oxygen.

<New still image> The following text comes up, with the three pictures cycling while it is being narrated

Narration: For identification purposes, you are seeing three photos, in order, that identify the top chamber, the electron gun at the bottom, and the power supply.

<New slide> Video starts and continues for 2 minutes, 20 seconds. While it is playing, the following narration is appearing above the video

Narration: As the video begins, you see that at the bottom of the cavity is an electron gun that generates electrons that are ionized in the top chamber. Through resonance and some additional techniques, we again amplify the electrons that are available.

Here is the power supply. The system is operated at 12 volts. You can see that the ammeter reading is almost zero.

As the unit is turned on, you can see how quickly the hydrogen is produced. You are seeing a large amount of hydrogen bubbles as they are being channeled into their own vortex into the top chamber. There is a pulsing action in the top chamber which filters the hydrogen back and that creates a negative pressure condition.

On startup, the amperage will spike to 2 to 3 amps, but the actual steady state power usage is now at about 1 amp at 12 volts, so that only 12 watts of power is required. This is a very important achievement.

This unit is designed to produce 200 liters of hydrogen per minute, and is so efficient that it can continue to produce hydrogen for a period after the power has been turned off.

<New slide>

Narration: Let me talk about how the fuel, which is hydrogen, will be input into an automotive or truck engine. Since all 12 of the U.S.-based automotive manufacturers, as well as others around the world, now use a fuel pumping system to move fuel from the fuel tank to the engine, this same system will support sending water to the Wallace HOD System.

<New slide>

Narration: Then, the hydrogen that is produced will be outputted to these internal combustion engines via a carburetor or fuel injectors, depending on the engine design. For any situation, the factory-installed key start ignition systems now being used will not be changed.

<New slide>

Narration: Very importantly, the electrical power required by the hydrolyzer is minimal compared to the energy from the hydrogen that is output.

This means that no changes are needed to the vehicle's charging system or battery capacity to operate the hydrolyzer.

<New slide>

Narration: The Wallace HOD System is now extremely well-positioned to have a profound impact on many large industries throughout the world.

<New slide>

Narration: In-person demonstrations are available upon request once a non-disclosure agreement is executed.

Once again, our telephone number is 954-420-2999 and our Email address is oilfree@live.com

<New slide> (logo above text)

Narration: This presentation is Copyright 2014, Oil Free LLC. All rights reserved.

<End of script>